# SAFETY DATA SHEET ECLIPSE SUPER ALL PURPOSE CLEANER

According to Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier Product name	Eclipse Super All Purpose Cleaner	
1.2. Relevant identified uses	s of the substance or mixture and uses advised against	
Identified uses	Detergent. For professional use only.	
Uses advised against	Not for direct contact with Food or Beverage stuffs. Not for oral consumption.	
1.3. Details of the supplier of the safety data sheet		
Supplier	Able Cleaning & Hygiene Supplies Blenheim House, 27-33 Threxton Road Industrial Estate, Watton, Norfolk, IP25 6NG T:01953 885 661 F: 01953 886 554 E: info@ablecleaningandhygiene.com www.ablecleaningandhygiene.com	

#### 1.4. Emergency telephone number

Emergency telephoneOut of Office Hours Emergency Information:-<br/>For accidents and spillages involving this product that pose a threat to the environment, or<br/>human health, or require immediate first aid advice call:- +44(0) 7050 265597.<br/>Note:- This number will not accept order queries or calls dealing with equipment breakdowns.<br/>UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental<br/>Protection Agency 1890 335599.

### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification (EC/1272/2008)		
Physical hazards Not Classified		
Health hazards	Eye Dam. 1 - H318	
Environmental hazards	Aquatic Chronic 3 - H412	

#### 2.2. Label elements

Pictogram



Signal word	Danger
Hazard statements	H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. EUH208 Contains CITRONELLOL, 4-TERT-BUTYLCYCLOHEXYL ACETATE. May produce an allergic reaction.

Precautionary statements	<ul> <li>P273 Avoid release to the environment.</li> <li>P280 Wear protective clothing, gloves, eye and face protection.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P313 Get medical advice/ attention.</li> <li>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>
Contains	C9-11 ALCOHOL ETHOXYLATE WITH 6.5M ETHYLENE OXIDE, ALKYL DIMETHYL AMINE OXIDE
Supplementary precautionary	P404 Store in a closed container.

statements P404 Store in a closed container.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

C9-11 ALCOHOL ETHOXYLATE WIT OXIDE	H 6.5M ETHYLENE		5-8%
CAS number: 68439-46-3			
<b>Classification</b> Acute Tox. 4 - H302 Eye Dam. 1 - H318		sification (67/548/EEC or 1999/45/EC) 822. Xi; R41	
ALKYL DIMETHYL AMINE OXIDE		1	1-4.5%
CAS number: 308062-28-4	EC number: 931-292-6	REACH registration number: 01- 2119490061-47	
M factor (Acute) = 1			
Classification	Class	sification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	Xn; R22. Xi; R38, R41. N; R50/53		
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Aquatic Acute 1 - H400			
Aquatic Chronic 2 - H411			
1-METHOXY-2-PROPANOL			1-5%
CAS number: 107-98-2	EC number: 203-539-1	REACH registration number: 01- 2119457435-35-XXXX	
Classification	Class	sification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 3 - H226	R10		
STOT SE 3 - H336			

ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE <1%			<1%
CAS number: 68424-85-1	EC number: 270-325-2		
M factor (Acute) = 10	M factor (Chronic) = 1		
Classification Met. Corr. 1 - H290 Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		assification (67/548/EEC or 1999/45/EC) ;R21/22. C;R34. N;R50.	
CITRONELLOL			<1%
CAS number: 106-22-9	EC number: 203-375-0	REACH registration number: 01- 2119453995-23-XXXX	
<b>Classification</b> Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317		assification (67/548/EEC or 1999/45/EC) R36/38. R43	
4-TERT-BUTYLCYCLOHEX	YL ACETATE		<1%
CAS number: 32210-23-4	EC number: 250-954-9	REACH registration number: 01- 2119976286-24-XXXX	
<b>Classification</b> Skin Sens. 1B - H317 Aquatic Chronic 2 - H411	Classification (67/548/EEC or 1999/45/EC) N; R51/53. R43		
The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.			
Composition comments	To the best of our knowledge, all of the substances used in this product are being supported for the relevent application in REACH.		
SECTION 4: First aid measur	es		
4.1. Description of first aid measures			
General information	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).		
Inhalation	Move affected person to fresh air. Get medical attention if any discomfort continues.		
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.		
Skin contact	Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if irritation persists after washing.		on if
Eye contact	Remove any contact lenses and open eyelids wide apart. Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes and get medical attention.		
4.2. Most important symptoms	s and effects, both acute and delayed	1	

General information The product contains a sensitising substance.

Inhalation	Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose.
Ingestion	Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, irritation of the mouth, throat and GI tract may occur. If dilute chemical is ingested some soreness of the mouth, throat and GI tract may occur.
Skin contact	There may be mild irritation at the site of contact. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. May cause skin sensitisation or allergic reactions in sensitive individuals.
Eye contact	Risk of serious damage to eyes. May result in permanent eye damage.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish. Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising from	om the substance or mixture
Specific hazards	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
Protective actions during firefighting	Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	We many that the shart is a shart is O still a Costing O still a state shart for the shart for
·	Wear protective clothing as described in Section 8 of this safety data sheet. Ensure adequate ventilation of the working area.
6.2. Environmental precaution	ventilation of the working area.
	ventilation of the working area.
6.2. Environmental precaution	<ul> <li>ventilation of the working area.</li> <li>Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of any environmental contamination.</li> </ul>
6.2. Environmental precaution Environmental precautions	<ul> <li>ventilation of the working area.</li> <li>Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of any environmental contamination.</li> </ul>
6.2. Environmental precaution Environmental precautions 6.3. Methods and material for	<ul> <li>ventilation of the working area.</li> <li>Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of any environmental contamination.</li> <li>containment and cleaning up</li> <li>Stop leak if safe to do so. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable labelled containers and seal securely. For waste disposal, see Section 13.</li> </ul>
6.2. Environmental precaution Environmental precautions 6.3. Methods and material for Methods for cleaning up	<ul> <li>ventilation of the working area.</li> <li>Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of any environmental contamination.</li> <li>containment and cleaning up</li> <li>Stop leak if safe to do so. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable labelled containers and seal securely. For waste disposal, see Section 13.</li> </ul>
<ul> <li>6.2. Environmental precaution</li> <li>Environmental precautions</li> <li>6.3. Methods and material for</li> <li>Methods for cleaning up</li> <li>6.4. Reference to other section</li> </ul>	ventilation of the working area. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of any environmental contamination. <b>containment and cleaning up</b> Stop leak if safe to do so. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable labelled containers and seal securely. For waste disposal, see Section 13. <b>ns</b> See sections 8,12 & 13
<ul> <li>6.2. Environmental precaution</li> <li>Environmental precautions</li> <li>6.3. Methods and material for</li> <li>Methods for cleaning up</li> <li>6.4. Reference to other section</li> <li>Reference to other sections</li> </ul>	ventilation of the working area.  S Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of any environmental contamination.  containment and cleaning up Stop leak if safe to do so. Contain and absorb spillage with sand, earth or other non- combustible material. Collect and place in suitable labelled containers and seal securely. For waste disposal, see Section 13.  See sections 8,12 & 13  rage

### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store below 40°C.
7.3. Specific end use(s)	
Specific end use(s)	Detergent.
Usage description	This product is suitable for use in food preparation areas, but is not designed for direct food contact.

#### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

Occupational exposure limits

#### 1-METHOXY-2-PROPANOL

Long-term exposure limit (8-hour TWA): WEL 100 ppm(Sk) 375 mg/m3(Sk) Short-term exposure limit (15-minute): WEL 150 ppm(Sk) 560 mg/m3(Sk) WEL = Workplace Exposure Limit

#### Ingredient comments

Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. The Long Term WEL refers to total exposure of a worker to a specific substance averaged out over an 8 hour period.

The Short Term WEL refers to a single exposure of a worker to a specific substance over a 15 minute period.

If the Short Term WEL is exceeded and no Long Term Limit is set, further exposure during the working shift is not permitted. Further controls should be implemented to ensure that future exposure to the substance is reduced below the levels set before the activity is repeated/continued. Where no Short Term WEL exists, guidance from the HSE is to use a value of three times the Long Term WEL.

The WEL limits are laid down in the EH40 list as supplied by the HSE. This is taken from the Chemical Agents Directive (98/24/EC). Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance. DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

#### ALKYL DIMETHYL AMINE OXIDE (CAS: 308062-28-4)

DNELProfessional - Dermal; Long term systemic effects: 11 mg/kg/day<br/>Professional - Inhalation; Long term systemic effects: 15.5 mg/m3 8h<br/>Professional - Dermal; Long term local effects: 0.27 %<br/>General population - Dermal; Long term systemic effects: 5.5 mg/kg/day<br/>General population - Inhalation; Long term systemic effects: 3.8 mg/m³<br/>General population - Oral; Long term systemic effects: 0.44 mg/kg/day

PNEC

- Fresh water; 0.0335 mg/l
- Marine water; 0.00335 mg/l
- Intermittent release; 0.0335 mg/l
- Sediment (Freshwater); 1.02 mg/kg
- Sediment (Marinewater); 24 mg/kg
- Soil; 1.02 mg/kg
- STP; 24 mg/kg

### 8.2. Exposure controls

controls

Protective e	quipment



Appropriate engineering

Provide adequate general and local exhaust ventilation.

Personal protection	The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.
Eye/face protection	The following protection should be worn: Chemical splash goggles. Refer to EN Standard 166 to select appropriate level of protection.
Hand protection	Rubber (natural, latex). Neoprene. Polyvinyl chloride (PVC). Refer to Standard EN 374.
Other skin and body protection	Provide eyewash station. Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.
Hygiene measures	Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin. Wash contaminated clothing before reuse. Provide eyewash station and safety shower.
Respiratory protection	No specific recommendation made, but respiratory protection must be used if the general level exceeds the Workplace Exposure Limit.
Environmental exposure controls	Do not allow the substance to contaminate surface water/ground water. See points 6, 12 &13.
General Health and Safety Measures.	The above requirements refer to the neat chemical. In-use solutions may have a lower classification, however, a full risk assessment should be carried out before handling any chemical(s). Risk assessments should refer to COSHH and any other relevant legislation or industry specific guidelines governing the use of chemicals.

### **SECTION 9: Physical and Chemical Properties**

9.1. Information on basic physical and chemical properties	
Appearance	Liquid
Colour	Blue-green.
Odour	Characteristic.
Odour threshold	Not applicable.
рН	pH (concentrated solution): 6

Melting point	Not applicable.	
Initial boiling point and range	Not applicable.	
Flash point	Not applicable.	
Evaporation rate	Not applicable.	
Evaporation factor	Not applicable.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits	Not applicable.	
Other flammability	Not applicable.	
Vapour pressure	Not applicable.	
Vapour density	Not applicable.	
Bulk density	Not applicable.	
Solubility(ies)	Soluble in water.	
Partition coefficient	Not applicable. Not technically practical for mixtures.	
Auto-ignition temperature	Not applicable.	
Decomposition Temperature	Not applicable.	
Viscosity	Not determined.	
Explosive properties	Not applicable.	
Explosive under the influence of a flame	Not considered to be explosive.	
Oxidising properties	Not applicable. Contains no Oxidising Components.	
9.2. Other information		
Refractive index	Not applicable.	
Particle size	Not applicable.	
Molecular weight	Not applicable.	
Volatility	Not applicable.	
Saturation concentration	Not applicable.	
Critical temperature	Not applicable.	
Volatile organic compound	Not applicable.	
Explosive Properties	Not Classified as Explosive	
Storage Temperature Range	0 - 40°C	
SECTION 10: Stability and reactivity		

### 10.1. Reactivity

Reactivity

Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions.

### 10.2. Chemical stability

Stability

Stable at normal ambient temperatures and when used as recommended. - See note 10.6.

Possibility of hazardous reactions	Refer to section 10.1. Do not mix with Hypochlorite based chemicals, this could result in a dangerous heating of the solution.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid excessive heat for prolonged periods of time.	
10.5. Incompatible materials		
Materials to avoid	Strong acids. Bleach.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	Does not decompose when used and stored as recommended See section 10.5.	
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
<u>Acute toxicity - oral</u> ATE oral (mg/kg)	3,429.83	
Acute toxicity - dermal ATE dermal (mg/kg)	156,000.0	
General information	See section 4.2.	
Inhalation	Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose See section 4.2.	
Ingestion	May cause irritation to mouth, throat and GI tract.	
Skin contact	There may be mild irritation at the site of contact. May cause sensitisation or allergic reactions in sensitive individuals.	
Eye contact	Risk of serious damage to eyes. May cause permanent eye injury.	
Acute and chronic health hazards	May cause skin sensitisation or allergic reactions in sensitive individuals.	
SECTION 12: Ecological Information		
Ecotoxicity	Harmful to aquatic life with long lasting effects.	
12.1. Toxicity		
Acute toxicity - fish	See note 12.0.	
12.2. Persistence and degradability		
Persistence and degradability	The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria as laid down in the European Detergents Regulation No 648/2004 as amended.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	Not expected to bioaccumulate.	
Partition coefficient	Not applicable. Not technically practical for mixtures.	
12.4. Mobility in soil		
Mobility	The product contains substances which are water soluble and may spread in water systems.	

### 10.3. Possibility of hazardous reactions

# 12.5. Results of PBT and vPvB assessment Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment 12.6. Other adverse effects Other adverse effects Not determined. SECTION 13: Disposal considerations 13.1. Waste treatment methods When handling waste, the safety precautions applying to handling of the product should be General information considered. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Do not mix with other chemicals. **Disposal methods** Small volumes of use solution can be disposed of to sewers. Dispose of waste product or used containers in accordance with local regulations SECTION 14: Transport information General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). 14.1. UN number Not applicable. 14.2. UN proper shipping name Not applicable. 14.3. Transport hazard class(es) No transport warning sign required. 14.4. Packing group Not applicable. 14.5. Environmental hazards Environmentally hazardous substance/marine pollutant No. 14.6. Special precautions for user Not applicable. 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU legislation European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of

Substances and Mixtures. This replaces Directive 67/548/EEC - Classification, Packaging and Labelling of Dangerous Substances and Regulation (EC) No. 453/2010 relating to the Classification, Packaging and Labelling of Dangerous Preparations. Also considered is the REACH Regulation (EC) No.1907/2006.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<ul> <li>(EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures.</li> <li>NPIS - National Poisons Information Service.</li> <li>vPvB - Very Persistent, Very bioaccumulative.</li> <li>PBT - Persistent, Bioaccumulative &amp; Toxic.</li> <li>REACH - Registration, Evaluation, Authorisation &amp; restriction of CHemicals (Regulation EC 1907/2006).</li> <li>DNEL - Derived No Effect Limit.</li> <li>PNEC - Predicted No Effect Concentration.</li> <li>COSHH - Control of Substances Hazardous to Health.</li> <li>Industry - Refers in section 8 to application of the substance in an industrial process.</li> <li>Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises.</li> </ul>
General information	This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.
Revision comments	Review in line with new raw material information. Addition of H412 to classification
Revision date	08/06/2016
SDS number	22641
Hazard statements in full	<ul> <li>H226 Flammable liquid and vapour.</li> <li>H290 May be corrosive to metals.</li> <li>H302 Harmful if swallowed.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> <li>EUH208 Contains CITRONELLOL, 4-TERT-BUTYLCYCLOHEXYL ACETATE. May produce an allergic reaction.</li> </ul>
REACH extended MSDS comments	REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevent recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios. Where Exposure Scenarios have been provided for substances used in this product, the relevent information is incorporated into the safety data sheet.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.