

SECTION 1: Identification of	SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	Astonish Hob Cream Cleaner	
Product number	108501	
Internal identification	F1V1	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Cleaning ceramic hobs, glass halogen hobs and microwaves.	
1.3. Details of the supplier of	the safety data sheet	
Supplier	The London Oil Refining Company Ltd Astonish House Unit 1 Premier Point Staithgate Lane Bradford BD6 1DW (01274) 767440 (office hours only) www.astonishcleaners.com (01274) 726285	
Contact person	info@astonish.co.uk	
1.4. Emergency telephone nu	imber	
Emergency telephone	(01274) 767440 (office hours only)	
SECTION 2: Hazards identified	cation	
2.1. Classification of the subs	stance or mixture	
Classification (EC 1272/2008	-	
Physical hazards	Not Classified	
Health hazards	Elicitation - EUH208 Not Classified	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard statements	EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.	
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.	
Additional Labelling		
Detergent labelling	< 5% non-ionic surfactants, < 5% perfumes, Contains 1,2-benzisothiazol-3(2H)-one, 2-Octyl- 2H-isothiazol-3-one, 2-methylisothiazol-3(2H)-one	

None

3.2. Mixtures		
Cristobalite Flour		10-30%
CAS number: 14464-46-1	EC number: 238-455-4	
Classification STOT RE 1 - H372	Classification (67/548/EEC or 1999/45/EC) T; R48/23/24/25	
Citric Acid Monohydrate		1-59
CAS number: 5949-29-1	EC number: 201-069-1	
<b>Classification</b> Eye Irrit. 2 - H319	Classification (67/548/EEC or 1999/45/EC) Xi; R36	
1,2-benzisothiazol-3(2H)-one		<19
CAS number: 2634-33-5	EC number: 220-120-9	
M factor (Acute) = 1		
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	Classification (67/548/EEC or 1999/45/EC) Xn; R22. Xi; R38, R41. N; R50. R43	
2-Octyl-2H-isothiazol-3-one		<19
CAS number: 26530-20-1	EC number: 247-761-7	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Acute Tox. 4 - H302 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Skin Sens. 1A - H317 Aquatic Acute 1 - H400	Classification (67/548/EEC or 1999/45/EC) T; R23/24. Xn; R22. C; R34. N; R50/53. R43	

2-methylisothiazol-3(2H)-one	<1%
CAS number: 2682-20-4	EC number: 220-239-6
M factor (Acute) = 1	
Classification	Classification (67/548/EEC or 1999/45/EC)
Acute Tox. 3 - H301	T; R23. Xn; R22. C; R34. N; R50. R43
Acute Tox. 3 - H311	1, 120. XII, 122. 0, 104. 10, 100. 104
Acute Tox. 2 - H330	
Skin Corr. 1B - H314	
Skin Sens. 1 - H317	
STOT SE 3 - H335	
Aquatic Acute 1 - H400	
Aquatic Chronic 2 - H411	
The Full Text for all R-Phrases	s and Hazard Statements are Displayed in Section 16.
SECTION 4: First aid measure	98
4.1. Description of first aid me	asures
Inhalation	Remove exposure and give water to drink if mouth irritation experienced. Seek medical advice if recovery not rapid.
Ingestion	Drink water. If symptoms persist seek medical advice.
Skin contact	Rinse affected area with water.
Eye contact	Rinse thoroughly with water for several minutes. If symptoms persist seek medical advice.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	Possible mild irritation of breathing passage and possible mouth irritation.
Ingestion	Possible mild stomach upset and mild soreness of mouth.
Skin contact	Possible mild transient irritation of skin.
Eye contact	Possible mild irritation, redness and soreness.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No data avaliable
Specific treatments	No data available.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Use extinguisher suitable to cause of fire.
5.2. Special hazards arising from	om the substance or mixture
Specific hazards	Product does not support combustion, minimal fire hazard. Minimal quantities of oxides of carbon may be produced.
5.3. Advice for firefighters	
Protective actions during firefighting	Use protection suitable to cause of fire.
SECTION 6: Accidental releas	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin and eves
	Avoid contact with skin and eyes.
6.2. Environmental precaution	—
Environmental precautions	Product is intended to be rinsed away to sewer after use. For bigger spillages non-household spillages prevent entry into sewer or drains.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Absorb household spillages with e.g kitchen roll and dispose of in bin. Wipe affected area clean with a damp cloth.
6.4. Reference to other section	ns
Reference to other sections	None
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	lling
Usage precautions	Use as instructed on label.
7.2. Conditions for safe storage	ge, including any incompatibilities
Storage precautions	Store in ambient conditions. Keep out of the reach of children.
7.3. Specific end use(s)	
Specific end use(s)	Cleaning stainless steel sinks and appliances.
SECTION 8: Exposure Contro	ols/personal protection
8.1. Control parameters	
Occupational exposure limits	
Cristobalite Flour	
Long-term exposure limit (8-h	our TWA): 0.1 mg/m <sup>3</sup> respirable crystalline
	Citric Acid Monohydrate (CAS: 5949-29-1)
PNEC	- Fresh water; 0.44 mg/l
	- Sediment (Freshwater); 3.46 mg/kg
	- Sediment (Marinewater); 34.6 mg/kg
	- Marine water; 0.044 mg/l
	- Marine water; 0.044 mg/l - STP; >1000 mg/l
8.2. Exposure controls	- Marine water; 0.044 mg/l
8.2. Exposure controls Environmental exposure controls	- Marine water; 0.044 mg/l - STP; >1000 mg/l
Environmental exposure	- Marine water; 0.044 mg/l - STP; >1000 mg/l - Soil; 33.1 mg/kg This product does not pose a hazard in normal use.
Environmental exposure controls	<ul> <li>Marine water; 0.044 mg/l</li> <li>STP; &gt;1000 mg/l</li> <li>Soil; 33.1 mg/kg</li> </ul> This product does not pose a hazard in normal use. emical Properties
Environmental exposure controls SECTION 9: Physical and Ch	<ul> <li>Marine water; 0.044 mg/l</li> <li>STP; &gt;1000 mg/l</li> <li>Soil; 33.1 mg/kg</li> </ul> This product does not pose a hazard in normal use. emical Properties
Environmental exposure controls SECTION 9: Physical and Ch 9.1. Information on basic phys	<ul> <li>Marine water; 0.044 mg/l</li> <li>STP; &gt;1000 mg/l</li> <li>Soil; 33.1 mg/kg</li> </ul> This product does not pose a hazard in normal use. emical Properties sical and chemical properties
Environmental exposure controls SECTION 9: Physical and Ch 9.1. Information on basic phys Appearance	<ul> <li>Marine water; 0.044 mg/l</li> <li>STP; &gt;1000 mg/l</li> <li>Soil; 33.1 mg/kg</li> </ul> This product does not pose a hazard in normal use. emical Properties sical and chemical properties Off White Semi-Viscous Opaque Liqud
Environmental exposure controls SECTION 9: Physical and Ch 9.1. Information on basic phys Appearance Colour	<ul> <li>Marine water; 0.044 mg/l</li> <li>STP; &gt;1000 mg/l</li> <li>Soil; 33.1 mg/kg</li> </ul> This product does not pose a hazard in normal use. emical Properties sical and chemical properties Off White Semi-Viscous Opaque Liqud Off White
Environmental exposure controls SECTION 9: Physical and Ch 9.1. Information on basic phys Appearance Colour Odour	<ul> <li>Marine water; 0.044 mg/l</li> <li>STP; &gt;1000 mg/l</li> <li>Soil; 33.1 mg/kg</li> </ul> This product does not pose a hazard in normal use. emical Properties sical and chemical properties Off White Semi-Viscous Opaque Liqud Off White Lemon

Melting point	Not known.
Initial boiling point and range	Not measured (>100°C)
Flash point	Not applicable.
Evaporation rate	Not measured.
Evaporation factor	Not known.
Flammability (solid, gas)	Does not ignite.
Upper/lower flammability or explosive limits	Does not ignite.
Other flammability	Not relevant.
Vapour pressure	Not available.
Vapour density	> 1 (Air=1)
Relative density	1.11 - 1.15 @ 20°C
Bulk density	Not relevant.
Solubility(ies)	Soluble in water Cristobolite - insoluble
Partition coefficient	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
Viscosity	1500 - 2750 cP @ 20°C
Explosive properties	None
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	No reactivity hazards expected.
10.2. Chemical stability	
Stability	Stable under normal conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	None under normal conditions.
10.4. Conditions to avoid	
Conditions to avoid	None known.
10.5. Incompatible materials	
Materials to avoid	None known.
10.6. Hazardous decompositio	on products

Hazardous decomposition	Carbon oxides.
products	

SECTION 11: Toxicological inf	formation
11.1. Information on toxicologi	
Toxicological effects	This mixture has not been tested. Based on the avaliable data of the ingredients the classification criteria are not met.
Other health effects	Cristobolite - Contains respirable cristobolite and respirable quartz as an impurity and classified as STOT RE2. Prolonged and/or massive exposure to respirable crystalline silica-containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica. Once dispersed fully in the product the risk of respirable silica becoming airborne is neglible.
SECTION 12: Ecological Infor	mation
12.1. Toxicity	
Toxicity	The mixture has not been tested. Based on the avaliable data of the ingredients the classification criteria are not met.
12.2. Persistence and degrada	ability
Persistence and degradability	Does not contain any components considered to be persistent. Contains detergents that satisfy the biodegradation requirements of directive 648/2004/EC.
12.3. Bioaccumulative potentia	<u>al</u>
Bioaccumulative potential	No bio-accumulative potential noted for any component.
Partition coefficient	Not known.
12.4. Mobility in soil	
Mobility	Semi-mobile.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	No data available.
12.6. Other adverse effects	
Other adverse effects	Not available.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	ls
General information	Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment. Dispose of contaminated packaging in the same way as the product itself. Non-contaminated packages may be recycled.
SECTION 14: Transport inform	nation
General	Not regulated.
14.1. UN number	
Not applicable.	

14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

Not regulated.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislationThis safety data sheet is compliant with EC Regulation 1907/2006 (REACH) as adapted by<br/>453/2010, Directive 67/548/EEC and EC Regulation 1272/2008 (CLP).<br/>Dangerous Preparations Directive 1999/45/EC.<br/>Regulation (EC) No. 648/2004 of the European Parliament and of the Council of 31st March<br/>2004 on detergents.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	CAS: Chemical Abstracts Service. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. vPvB: Very Persistent and Very Bioaccumulative.
Revision comments	Product name change Product Identifier and Revision Numbers restarted for new product name.
Issued by	The London Oil Refining Company Ltd
Revision date	15/09/2017
Revision	1.1
SDS number	4937

Risk phrases in full	<ul> <li>R22 Harmful if swallowed.</li> <li>R23 Toxic by inhalation.</li> <li>R23/24 Toxic by inhalation and in contact with skin.</li> <li>R34 Causes burns.</li> <li>R36 Irritating to eyes.</li> <li>R38 Irritating to skin.</li> <li>R41 Risk of serious damage to eyes.</li> <li>R43 May cause sensitisation by skin contact.</li> <li>R48/23/24/25 Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.</li> <li>R50 Very toxic to aquatic organisms.</li> <li>R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> </ul>
Hazard statements in full	<ul> <li>H301 Toxic if swallowed.</li> <li>H302 Harmful if swallowed.</li> <li>H311 Toxic in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H330 Fatal if inhaled.</li> <li>H331 Toxic if inhaled.</li> <li>H335 May cause respiratory irritation.</li> <li>H372 Causes damage to organs (Lungs) through prolonged or repeated exposure.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> <li>EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.</li> </ul>