SAFETY DATA SHEET

Able P5 Professional Laundry Detergent

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Able P5 Professional Laundry Detergent

Product number 8086/22462

UFI: C7DQ-G0UC-9001-621A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent. Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier ABLE CLEANING AND HYGIENE SUPPLIES

27-33 THREXTON INDUS EST

WATTON NORFOLK IP25 6NG

Tel: 01953 885 661

1.4. Emergency telephone number

Emergency telephone 01953 885 661 (7.30am - 4.30pm)

National emergency telephone

number

NHS Direct 111 (GB) National Poisons Information Service Tel: +44 344 892 0111 (UK) - Medical Professionals Only National Poisons Information Centre Tel: +353 (01) 809 2566 (Ireland) - Healthcare

Professionals only (24 hour service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H318 Causes serious eye damage.

Precautionary statements P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

Contains Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-

methyl- and sodium hydroxide, Alcohols, C13-15, branched and linear, ethoxylated

Detergent labelling 15 - < 30% phosphates, < 5% anionic surfactants, < 5% enzymes, < 5% non-ionic surfactants, < 5%

optical brighteners, < 5% perfumes, < 5% soap, Contains 1,2-BENZOISOTHIAZOL-3(2H)-ONE

2.3. Other hazards

Able P5 Professional Laundry Detergent

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.

3-5%

and Benzenesulfonic acid, 4-methyl- and sodium hydroxide

CAS number: — EC number: 932-051-8

REACH registration number: 01-2119565112-48-XXXX

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

Alcohols, C13-15, branched and linear, ethoxylated

1-3%

CAS number: 157627-86-6 EC number: 931-954-4

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

Diethyl phthalate

<1%

CAS number: 84-66-2 EC number: 201-550-6

Classification

Not Classified

SUBTILISIN

<1%

CAS number: 9014-01-1 EC number: 232-752-2

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Resp. Sens. 1 - H334 STOT SE 3 - H335

ETHANEDIOL

<1%

CAS number: 107-21-1

EC number: 203-473-3

Classification

Acute Tox. 4 - H302

d-LIMONENE

0.00687

CAS number: 5989-27-5 EC number: 227-813-5 REACH registration number: 01-

2119529223-47-XXXX

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

2/10

Able P5 Professional Laundry Detergent

HEXYL CINNAMAL

CAS number: 101-86-0

EC number: 202-983-3

M factor (Acute) = 1

Classification

Skin Sens. 1 - H317

Aquatic Acute 1 - H400

Butylphenyl Methylpropional

CAS number: 80-54-6

EC number: 201-289-8

Classification
Acute Tox. 4 - H302
Skin Irrit. 2 - H315

Skin Sens. 1 - H317 Repr. 2 - H361 Aquatic Chronic 2 - H411

Aquatic Chronic 2 - H411

Alpha-IsoMethyl Ionone 0.00168

CAS number: 127-51-5

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317 Aquatic Chronic 2 - H411

CITRAL 0.00066

CAS number: 5392-40-5 EC number: 226-394-6 REACH registration number: 01-

2119462829-23-0000

Classification

Skin Irrit. 2 - H315 Skin Sens. 1 - H317

GERANIOL 0.00036

CAS number: 106-24-1 EC number: 203-377-1

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317

POTASSIUM HYDROXIDE <1%

Classification

Acute Tox. 4 - H302 Skin Corr. 1A - H314 Eye Dam. 1 - H318

Able P5 Professional Laundry Detergent

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Non-volatile liquid product.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Promptly get affected

person to drink large volumes of water to dilute the swallowed chemical. Give milk instead of water if

readily available. Get medical attention immediately.

Skin contact Remove contaminated clothing. Rinse immediately with plenty of water. Get medical attention promptly if

symptoms occur after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get

medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion May cause stomach pain or vomiting.

Skin contact Skin irritation.

Eye contact May cause severe eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Unsuitable extinguishing media None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

Hazardous combustion products Does not decompose when used and stored as recommended.

5.3. Advice for firefighters

Protective actions during

firefighting

If risk of water pollution occurs, notify appropriate authorities. Control run-off water by containing and

keeping it out of sewers and watercourses.

Special protective equipment for

firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For non-emergency personnel Prevent further leakage or spillage if safe to do so. Keep away from incompatible products.

For emergency responders Avoid discharge into drains or watercourses or onto the ground.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb in vermiculite, dry sand or earth and place into containers. Flush spilled material into suitable

retaining areas or container with large quantities of water. Inform authorities if large amounts are involved.

6.4. Reference to other sections

Able P5 Professional Laundry Detergent

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of

spillage as indicated in Section 13. See Section 11 for additional information on health hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes.

Advice on general occupational

hygiene

When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep above the chemical's freezing point to avoid rupturing the container. Keep container tightly closed.

Storage class Unspecified storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Diethyl phthalate

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³ Short-term exposure limit (15-minute): WEL 10 mg/m³

SUBTILISIN

Long-term exposure limit (8-hour TWA): WEL 0.00004 mg/m³

Sen

ETHANEDIOL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m3(Sk) Short-term exposure limit (15-minute): WEL 104 mg/m3(Sk)

POTASSIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

Sen = Capable of causing occupational asthma.

PENTASODIUM TRIPHOSPHATE (CAS: 7758-29-4)

DNEL Workers - Dermal; Short term systemic effects: 0.375 mg/kg bw/day

Workers - Inhalation; Short term systemic effects: 0.661 mg/m³
Workers - Dermal; Long term systemic effects: 0.375 mg/kg bw/day

Workers - Inhalation; Long term systemic effects: 0.661 mg/l

General population - Dermal; Short term systemic effects: 0.375 mg/kg General population - Inhalation; Short term systemic effects: 0.66 mg/kg bw/day

General population - Oral; Short term systemic effects: 0.75 mg/kg General population - Oral; Long term systemic effects: 0.75 mg/kg bw/day General population - Inhalation; Long term systemic effects: 0.661 mg/m³ General population - Dermal; Long term systemic effects: 0.375 mg/kg bw/day

PNEC - Fresh water; 0.005 mg/l

- marine water; 0.005 mg/l

Intermittent release, Fresh water; 0.05 mg/lSediment (Freshwater); 0.19 mg/kg dw

- Soil; 0.14 mg/kg dw

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide

DNEL Workers - Dermal; Long term systemic effects: 85 mg/kg bw/day

Workers - Inhalation; Long term systemic effects: 6 mg/m³

Consumer - Dermal; Long term systemic effects: 42.5 mg/kg bw/day Consumer - Inhalation; Long term systemic effects: 1.5 mg/m³ Consumer - Oral; Long term systemic effects: 0.425 mg/kg bw/day

PNEC - Fresh water; 0.268 mg/l

- marine water; 0.0268 mg/l - Intermittent release; 0.055 mg/l

- STP; 5.6 mg/l

Sediment (Freshwater); 8.1 mg/kg dwSediment (Marinewater); 8.1 mg/kg dw

- Soil; 35 mg/kg dw

Distyryl Biphenyl Derivative (CAS: 27344-41-8)

DNEL Workers - Dermal; Long term systemic effects: 53 mg/kg

Consumer - Dermal; Long term systemic effects: 19 mg/kg Consumer - Oral; Long term systemic effects: 1.9 mg/kg Workers - Inhalation; Long term systemic effects: 20.5 mg/m³

PNEC Fresh water; 0.0625 mg/l

marine water; 0.00625 mg/l Intermittent release; 0.1028 mg/l

STP; 100 mg/l

Sediment (Freshwater); 198000 mg/kg Sediment (Marinewater); 19800 mg/kg

Soil; 1 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls No specific ventilation requirements.

Eye/face protection The following protection should be worn: Chemical splash goggles.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk

assessment indicates skin contact is possible.

Other skin and body protection Wear appropriate clothing to prevent skin contact.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne contamination

occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Opaque liquid. Liquid.

Colour Blue.
Odour Perfume.

pH (diluted solution): ~ 7 @ 1 %

Melting point > 10°C

Initial boiling point and range > 100°C @ 760 mm Hg

Relative density ~ 1.16 @ @ 20°C Solubility(ies) Miscible with water.

Viscosity 1000-1500 cP @ 20°C

9.2. Other information

Other information Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not known.

10.4. Conditions to avoid

Conditions to avoid Avoid contact with the following materials: Oxidising agents. Reducing agents.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous

situation

10.6. Hazardous decomposition products

Hazardous decomposition Thermal decomposition or combustion products may include the following substances: Oxides of the

products following substances: Carbon. Sulphur.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 21,739.13

Inhalation This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion May cause discomfort if swallowed.

Skin contact Skin irritation should not occur when used as recommended.

Eye contact Risk of serious damage to eyes.

Acute and chronic health hazards Repeated exposure may cause chronic eye irritation. Mild dermatitis, allergic skin rash.

Toxicological information on ingredients.

PENTASODIUM TRIPHOSPHATE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 2,001.0

mg/kg)

Species Rat

ATE oral (mg/kg) 2,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD50

mg/kg)

4,641.0

Species Rabbit
ATE dermal (mg/kg) 4,641.0

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

2,001.0

Species Rat

ATE oral (mg/kg) 2,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD50

mg/kg)

2,001.0

Rat **Species**

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 85 mg/kg, Oral, Rat LOAEL 145 mg/kg, Oral, Rat NOAEL 440 mg/kg, Dermal, Mouse

Alcohols, C13-15, branched and linear, ethoxylated

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

500.0

Species Rat

SECTION 12: Ecological information

Environmental information currently available for the ingredients of this preparation indicates that it does **Ecotoxicity**

not contain any ingredients currently classified as Dangerous for the Environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

Ecological information on ingredients.

PENTASODIUM TRIPHOSPHATE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, : >1850 mg/l,

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: >100 mg/l, Daphnia magna

Chronic aquatic toxicity

Chronic toxicity - fish early life LOEC, 96 hours: 5 mg/l, Fish

stage

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 1-10 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 1-10 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: 10-100 mg/l, Algae

EC10, 72 days: 1.5 mg/l, Algae

Able P5 Professional Laundry Detergent

Acute toxicity -EC50, 17 hours: 63 mg/l, PSEUDOMONAS PUTIDA

microorganisms

Chronic aquatic toxicity

Chronic toxicity - fish early life NOEC, 72 days: 0.1-1 mg/l, Oncorhynchus mykiss (Rainbow trout)

stage

Chronic toxicity - aquatic

invertebrates

EC₂₀, 32 days: 0.27 mg/l, Freshwater invertebrates

Alcohols, C13-15, branched and linear, ethoxylated

Acute aquatic toxicity

LC₅₀, 96 hours: 1-10 mg/l, Brachydanio rerio (Zebra Fish) Acute toxicity - fish

Acute toxicity - aquatic

invertebrates

EC₅o, 48 hours: 1-10 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hours: 1-10 mg/l, Scenedesmus subspicatus

Acute toxicity -EC10, : >1000 mg/l, Activated sludge

microorganisms

Chronic aquatic toxicity

Chronic toxicity - aquatic

invertebrates

NOEC, : >0.1-<1 mg/l,

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down

in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request,

or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is non-volatile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste

Disposal Authority.

EURAL Code

SECTION 14: Transport information

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

Nο

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on

classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments Revision is to include emergency telephone number

Revision date 28/01/2020

Revision 5

 Supersedes date
 12/02/2019

 SDS number
 8086/22462

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.